In the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-9. (Cancelled)

- 10. (New) An article of headwear, comprising:
- a first fabric member configured to cover at least a portion of a neck of a person, the first fabric member extending between a first end and a second end and having a first intermediate portion between the first end and the second end; and

a second fabric member configured to cover at least a portion of a head of the person, the second fabric member extending between a third end and a fourth end, wherein the third end and the fourth end are both attachable to the first intermediate portion so as to define a rearward opening, wherein the rearward opening is sized to accept a rear portion of the head of the person.

- 11. (New) The article of headwear of claim 10, wherein the third end and the fourth end are both attachable to the first intermediated portion in a predetermined, spaced apart relationship.
- 12. (New) The article of headwear of claim 10, wherein the second fabric member further comprises a second intermediate portion between the third end and the fourth end, and a first side edge opposing a second side edge, wherein a first width of the second intermediate portion is less than a second width adjacent the third end or the fourth end, wherein the first width and the second width extend between the first side edge and the second side edge.
- 13. (New) The article of headwear of claim 10, wherein the second fabric member further comprises a first side edge opposing a second side edge, the first side edge having a first length and the second side edge having a second length, wherein the first length is greater than the second length.

Docket No.: 4787-002 **PATENT**

14. (New) The article of headwear of claim 13, wherein the second side edge faces the first intermediate portion of the first fabric member.

- 15. (New) The article of headwear of claim 10, further comprising an attachment mechanism for attaching a first portion of the first fabric member to a second portion of the first fabric member.
- 16. (New) The article of headwear of claim 15, wherein the attachment mechanism comprises an inner edge formed on the first fabric member, the inner edge defining a hole sized to receive one of the first end and the second end.
- 17. (New) The article of headwear of claim 10, wherein the spaced apart relationship between the third end and the fourth end attached to the first fabric member is configured such that, when in use, the second fabric member extends from a top of the head of the person to cover at least a portion of each ear of the person.
- 18. (New) The article of headwear of claim 10, wherein the spaced apart relationship between the third end and the fourth end attached to the first fabric member is configured such that, when in use, the opening is adjacent to a back of the head of the person.
- 19. (New) The article of headwear of claim 10, wherein at least one of the first fabric member and the second fabric member comprises a first fabric layer connected to a second fabric layer.
- 20. (New) The article of headwear of claim 10, wherein a first distance from the third end to the nearest one of the first end and the second end is substantially unequal to a second distance from the fourth end to the other one of the first end and the second end.

Docket No.: 4787-002 **PATENT**

21. (New) An article of headwear, comprising:

a scarf member comprising a first intermediate portion extending between a first end portion and a second end portion; and

a band member comprising a second intermediate portion extending between a third end portion and a fourth end portion, the third end portion and the fourth end portion respectively attachable to the scarf member, the band member further comprising a first edge opposing a second edge, the first edge and the second edge each extending from the third end portion across the second intermediate portion to the fourth end portion, the first edge having a first length and the second edge having a second length, wherein the first length is greater than the second length.

- 22. (New) The article of headwear of claim 21, wherein the first intermediate portion comprises a first position at a predetermined spacing from a second position, wherein the third end portion is attachable to the first intermediate portion at the first position and the fourth end portion is attachable to the first intermediate portion at the second position so as to define an opening between the first intermediate portion of the scarf member and the band member.
- 23. (New) The article of headwear of claim 22, wherein the first edge faces the opening.
- 24. (New) The article of headwear of claim 21, wherein the first intermediate portion is configured to cover a back of a neck of a person.
- 25. (New) The article of headwear of claim 21, wherein the predetermined spacing is arranged such that, when in use, the band extends over a top portion of a head of a person and covers at least a portion of each ear of the person.
- 26. (New) The article of headwear of claim 21, wherein each of the third end and the fourth end have a first width extending between the first edge and the second edge, wherein the

Docket No.: 4787-002 **PATENT**

first width is sized to cover at least a portion of an ear of a person wearing the article of headwear.

- 27. (New) The article of headwear of claim 21, wherein the second intermediate portion has a first width extending between the first edge and the second edge, wherein each of the third end portion and the fourth end portion have a second width extending between the first edge and the second edge, and wherein the first width is less than the second width.
- 28. (New) The article of headwear of claim 21, further comprising an attachment mechanism for attaching a first portion of the scarf member to a second portion of the scarf member.
- 29. (New) The article of headwear of claim 21, wherein the attachment mechanism comprises an inner edge formed on the scarf member, the inner edge defining a hole sized to receive one of the first end portion and the second end portion.
- 30. (New) The article of headwear of claim 21, wherein at least one of the scarf member and the band member comprises a first fabric layer connected to a second fabric layer.
 - 31. (New) An article of headwear, comprising:
 - a first means for covering at least a portion of a neck of a person;
- a second means for covering at least a portion of each ear of the person without covering at least a predetermined rear portion of a head of the person, the predetermined rear portion lying between the second means and the first means, wherein the second means is connectable to the first means.